



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 18/04/2018

Version 10.1CLP10

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No.	600-014
Product name	Fine Etch Crystals
REACH Registration Number	A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.
CAS-No.	7775-27-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Etching
-----------------	---------

1.3 Details of the supplier of the safety data sheet

Company	MEGA ELECTRONICS LTD, THE GRIP , LINTON, CAMBRIDGE CB21 4XN.
Responsible Department	mike@megauk.com

1.4 Emergency telephone number	+44(0) 01223 893900 24H: 49 (0) 7623917272
--------------------------------	---

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Oxidising solid, Category 3, H272

Acute toxicity, Category 4, Oral, H302

Respiratory sensitisation, Category 1, H334

Skin sensitisation, Category 1, H317

Specific target organ toxicity - single exposure, Category 3, Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

Catalogue No. 363-6573
Product name Fine Etch Crystals

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

Hazard statements

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

Precautionary statements

Prevention

P280 Wear protective gloves.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/ physician.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word

Danger

Hazard statements

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements

P280 Wear protective gloves.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/ physician.

CAS-No. 7775-27-1

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula	Na ₂ S ₂ O ₈	Na ₂ O ₈ S ₂ (Hill)
---------	---	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 18/04/2018 Version 10.1CLP10

Catalogue No. 363-6573
Product name Fine Etch Crystals

EC-No. 231-892-1
Molar mass 238,11 g/mol

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical Name (Concentration)

CAS-No.	Registration number	Classification
disodium peroxodisulphate (<= 100 %)		
7775-27-1	*)	Oxidising solid, Category 3, H272 Acute toxicity, Category 4, H302 Respiratory sensitisation, Category 1, H334 Skin sensitisation, Category 1, H317 Specific target organ toxicity - single exposure, Category 3, H335

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

Hazardous components (1999/45/EC)

Chemical Name (Concentration)

CAS-No.	Classification
disodium peroxodisulphate (<= 100 %)	
7775-27-1	O, Oxidising; R8 Xn, Harmful; R22 Xi, Irritant; R36/37/38 R42/43

For the full text of the R-phrases mentioned in this Section, see Section 16.

3.2 Mixture

not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

General advice

First aider needs to protect himself.

After inhalation: fresh air. Call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Consult a physician.

After eye contact: rinse out with plenty of water.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions, Cough, Shortness of breath, Nausea, Vomiting, Headache

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

Catalogue No. 363-6573
Product name Fine Etch Crystals

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Has a fire-promoting effect due to release of oxygen.

Risk of dust explosion.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground watersystem.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Avoid inhalation of dusts. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Clean up carefully. Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Work under hood. Do not inhale substance/mixture.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 18/04/2018 Version 10.1CLP10

Catalogue No. 363-6573
Product name Fine Etch Crystals

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Away from combustible materials and sources of ignition and heat.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374.

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves.

Other protective equipment

protective clothing

Catalogue No. 363-6573
Product name Fine Etch Crystals

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 for solid and liquid particles of harmful substances

The user has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not empty into drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	solid
Colour	white
Odour	odourless
Odour Threshold	not applicable
pH	3,5 - 3,8 at 100 g/l 20 °C
Melting point	No information available.
Boiling point/boiling range	not applicable
Flash point	does not flash
Evaporation rate	No information available.
Flammability (solid, gas)	The product is not flammable.
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Vapour pressure	not applicable
Relative vapour density	No information available.
Density	1,2 g/cm ³ at 20 °C
Relative density	No information available.
Water solubility	545 g/l at 20 °C
Partition coefficient: n-octanol/water	No information available.

Catalogue No. 363-6573
Product name Fine Etch Crystals

Auto-ignition temperature	No information available.
Decomposition temperature	ca.180 °C
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	The substance or mixture is classified as oxidizing with category 3.

9.2 Other data

Ignition temperature	not combustible
Bulk density	ca.1.150 kg/m ³

SECTION 10. Stability and reactivity

10.1 Reactivity

Oxidising
strong oxidising agent
Risk of dust explosion.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:
Reducing agents, combustible substances, Alcohols, Strong Acids, Bases, Heavy metal salts

10.4 Conditions to avoid

Strong heating (decomposition).
Exposure to moisture.

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 rat: 920 mg/kg (IUCLID)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

absorption

Acute inhalation toxicity

LC50 rat: > 5,1 mg/l; 4 h (External MSDS)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 18/04/2018 Version 10.1CLP10

Catalogue No. 363-6573
Product name Fine Etch Crystals

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, After a latency period:, Lung oedema

Acute dermal toxicity

LD50 rabbit: > 10.000 mg/kg (External MSDS)

Skin irritation

rabbit

Result: No irritation
(IUCLID)

Eye irritation

rabbit

Result: No eye irritation
(IUCLID)

Sensitisation

Sensitisation test: guinea pig

Result: positive

Method: OECD Test Guideline 406

May cause sensitisation by inhalation and skin contact.

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Result: negative
(IUCLID)

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Systemic effects:

Nausea, Vomiting, Headache

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish

LC50 *Oncorhynchus mykiss* (rainbow trout): 771 mg/l; 96 h (IUCLID)

Toxicity to daphnia and other aquatic invertebrates

EC50 *Daphnia magna* (Water flea): 133 mg/l; 48 h (IUCLID)

12.2 Persistence and degradability

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 18/04/2018 Version 10.1CLP10

Catalogue No. 363-6573
Product name Fine Etch Crystals

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

Biological effects:

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

Disposal according to local regulations. 2008/98/EU applies.

Non contaminated packaging can be recycled.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number	UN 1505
14.2 Proper shipping name	SODIUM PERSULPHATE
14.3 Class	5.1
14.4 Packing group	III
14.5 Environmentally hazardous	--
14.6 Special precautions for user	no
Tunnel restriction code	E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number	UN 1505
14.2 Proper shipping name	SODIUM PERSULPHATE
14.3 Class	5.1
14.4 Packing group	III
14.5 Environmentally hazardous	--
14.6 Special precautions for user	no

Sea transport (IMDG)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 18/04/2018 Version 10.1CLP10

Catalogue No. 363-6573
Product name Fine Etch Crystals

14.1 UN number UN 1505
14.2 Proper shipping name SODIUM PERSULPHATE
14.3 Class 5.1
14.4 Packing group III
14.5 Environmentally hazardous --
14.6 Special precautions for user no
EmS F-A S-Q
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC
Legislation Oxidising
3
Quantity 1: 50 t
Quantity 2: 200 t

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at work.

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC not regulated

Regulation (EC) No 689/2008 concerning the export and import of dangerous chemicals not regulated

Substances of very high concern (SVHC) This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of ≥ 0.1 % (w/w).

National legislation

Storage class 5.1B

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

Catalogue No. 363-6573
Product name Fine Etch Crystals

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.

Training advice

Provide adequate information, instruction and training for operators.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.