



ENGLISH

Datasheet

Lithium Polymer Portable Charger Power Bank

RS Stock number [775-7508](#)



Description:


Based on Lithium Polymer battery technology, the PB-A5200 Power Bank can be used to charge a mobile phone battery or power portable equipment such as a Raspberry Pi computer board.

Specifications:

Capacity:	5000 mAh
Charge Time:	6 – 7 hours
Chemistry:	Lithium Polymer
Depth:	15.8 mm
Input Connector:	Micro USB
Input Voltage:	5 V DC
LED Indicator:	Charge/Discharge, Power Levels
Length:	102 mm
Maximum Output Current:	2.1 A
Number of Devices Supported:	2
Operating Temperature Range:	0 – 35 °C
Output Connectors:	USB
Output Voltage:	5 V
Series:	Power Bank
Weight:	154 g
Width:	66 mm



Structural Drawing:



Safety Instructions:

Misuse, beat, crush, or drop and other conditions may cause product damaged. Dropping and/or misuse of the product may cause malfunctions and/or damage. Do not dispose of the power bank in heat and fire. Please fully charge the power bank to activate it before first use. If this product will not be used for a long time, please keep it in a cool and dry place. Charge and discharge one time per month. If the power bank is not used, please turn off the power. Otherwise it will keep consuming the power. At the end of the battery's life, it should be handed over to an appropriate collection point.

Accessories:

Micro USB charging cable



Micro